

# Contents

	<b>Preface</b>	<b>ix</b>
<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	Distinguishing features of aphids	1
1.2	Origin of aphids	2
1.3	Host plant associations	4
1.4	Classification	6
1.5	Distribution	6
<b>2</b>	<b>Feeding behaviour and food quality</b>	<b>8</b>
2.1	Feeding behaviour	8
2.2	Food quality	13
2.2.1	Osmoregulation	14
2.3	Nitrogen metabolism	15
2.3.1	Feeding rate and assimilation	16
2.4	Symbionts	17
2.4.1	Role in upgrading food quality	19
2.4.2	Recycling of nitrogen	23
2.4.3	Nitrogen economy	23
2.4.4	Presence in male and soldier aphids	25
<b>3</b>	<b>Host specificity and speciation</b>	<b>27</b>
3.1	Proximate factors in host selection	28
3.1.1	Host location	28
3.1.2	Host recognition	29
3.1.3	Morphological characteristics	30
3.1.4	Chemical characteristics	32
3.2	Food quality	38
3.2.1	Variation in space	38
3.2.2	Variation in time	43
3.3	Evolution of host specificity	45
3.3.1	Host plant utilization hypothesis	46
3.3.2	Optimal host range hypothesis	47
3.3.3	Rendezvous host hypothesis	50
3.4	Speciation	52

<b>4</b>	<b>Size</b>	<b>59</b>
4.1	Size within a species	60
4.2	Optimum body size	64
4.3	Species size diversity	65
4.4	Geometrical similarity	70
	4.4.1 Intraspecific relationships	70
	4.4.2 Interspecific relationships	71
4.5	Size of migrants	73
4.6	Reproduction	76
<b>5</b>	<b>Resource tracking: mechanism – cyclical parthenogenesis</b>	<b>82</b>
5.1	Telescoping of generations	83
5.2	Intra-clonal variation	84
5.3	Adaptability of aphid clones	85
5.4	Genetic structure	86
5.5	Sex	89
5.6	Why reproduce sexually?	89
5.7	Timing of sex	92
5.8	Sex ratios	92
5.9	Mate guarding	97
5.10	Why lay eggs?	97
<b>6</b>	<b>Resource tracking: mechanism – polyphenism</b>	<b>100</b>
6.1	Defence	102
6.2	Dispersal	104
	6.2.1 What constitutes a crowd?	104
	6.2.2 Host quality	105
	6.2.3 Day length	107
	6.2.4 Maternal control	109
	6.2.5 Multiplicity of cues	112
6.3	Reproduction	112
6.4	Parthenogenetic reproduction	112
6.5	Sexual reproduction	114
	6.5.1 Extrinsic factors	114
	6.5.2 Maternal control	116
	6.5.3 Aphid clocks	116
6.6	Aestivation and hibernation	118
6.7	Ecological patterns	122
	6.7.1 Defence by 'soldiers'	122
	6.7.2 Dispersal	124
	6.7.3 Macroptery	124
<b>7</b>	<b>Resource tracking in time</b>	<b>128</b>
7.1	Host alternation	128

CONTENTS

vii

7.2	The historical debate	129
7.2.1	Acquisition of primary hosts	135
7.2.2	Secondary autoecy and the maladaptive nature of heteroecy	137
7.2.3	Broader host plant range of summer morphs	138
7.2.4	Evolutionary infidelity of summer morphs	139
7.2.5	Two-year life cycles	140
7.2.6	Alternation between host taxa that are not complementary in growth or architecture	142
7.2.7	Rarity of host alternation	142
7.2.8	Fundatrix specialization	143
7.2.9	Nutritional quality of the secondary host plant	146
7.2.10	The progressional acquisition of more recently evolved taxa	146
7.3	Experimental evidence	147
7.4	Autoecious way of life	151
7.4.1	Food quality	151
7.4.2	Temporal changes in environmental quality	153
7.4.3	Resource partitioning	159
7.4.4	Natural enemies	159
7.4.5	Resource tracking	160
7.5	Generation-specific strategies	161
7.6	Habitat predictability and tactical diversity	164
7.7	Response to habitat quality	167
<b>8</b>	<b>Resource tracking in space</b>	<b>171</b>
8.1	Mechanisms	171
8.1.1	Take-off	171
8.1.2	Settling	175
8.1.3	Migratory urge	175
8.1.4	Differential migration	177
8.2	Timing	179
8.2.1	Daily patterns	179
8.2.2	Seasonal patterns	181
8.3	Distance travelled	182
8.4	Adaptive significance	186
<b>9</b>	<b>Population dynamics</b>	<b>189</b>
9.1	Dynamics of aerial populations	189
9.2	Intensive studies	192
9.3	Patterns	192
9.4	Processes	195
9.5	Natural enemies	200